

UPN4282.ST25.txt
SEQUENCE LISTING

<110> The Trustees of The University of Pennsylvania
Lambris, John D.

<120> COMPSTATIN ANALOGS WITH IMPROVED ACTIVITY

<130> UPN-4282

<140>

<141> 2003-09-22

<150> US 60/412,220

<151> 2002-09-20

<160> 15

<170> PatentIn version 3.2

<210> 1

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> COOH terminus of Thr is replaced by CONH2

<400> 1

Ile Cys Val Val Gln Asp Trp Gly His His Arg Cys Thr
1 5 10

<210> 2

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Ile is acetylated

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> COOH terminus of Thr is replaced by CONH2

<400> 2

Ile Cys Val Val Gln Asp Trp Gly His His Arg Cys Thr
1 5 10

<210> 3

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

UPN4282.ST25.txt

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Ile is acetylated

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> COOH terminus of Thr is replaced by CONH2

<400> 3

Ile Cys Val Tyr Gln Asp Trp Gly Ala His Arg Cys Thr
1 5 10

<210> 4

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Ile is acetylated

<400> 4

Ile Cys Val Trp Gln Asp Trp Gly Ala His Arg Cys Thr
1 5 10

<210> 5

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Ile is acetylated

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> COOH terminus of Thr is replaced by CONH2

<400> 5

Ile Cys Val Trp Gln Asp Trp Gly Ala His Arg Cys Thr
1 5 10

<210> 6

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

UPN4282.ST25.txt

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Ile is acetylated

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> Xaa is D-Thr instead of L-Thr

<400> 6

Ile Cys Val Trp Gln Asp Trp Gly Ala His Arg Cys Xaa
1 5 10

<210> 7

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Ile is acetylated

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa is 2-naphthylalanine

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> COOH terminus of Thr is replaced by CONH2

<400> 7

Ile Cys Val Xaa Gln Asp Trp Gly Ala His Arg Cys Thr
1 5 10

<210> 8

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Ile is acetylated

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa is 2-naphthylalanine

<400> 8

UPN4282.ST25.txt

Ile Cys Val Xaa Gln Asp Trp Gly Ala His Arg Cys Thr
1 5 10

<210> 9
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Ile is acetylated

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is 1-naphthylalanine

<400> 9

Ile Cys Val Xaa Gln Asp Trp Gly Ala His Arg Cys Thr
1 5 10

<210> 10
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Ile is acetylated

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa is 2-indanylglycine carboxylic acid

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> COOH terminus of Thr is replaced by CONH2

<400> 10

Ile Cys Val Xaa Gln Asp Trp Gly Ala His Arg Cys Thr
1 5 10

<210> 11
<211> 13
<212> PRT
<213> Artificial Sequence

<220>
<223> Synthetic Construct

<220>
<221> MISC_FEATURE

UPN4282.ST25.txt

<222> (1)..(1)

<223> Ile is acetylated

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa is 2-indanylglycine carboxylic acid

<400> 11

Ile Cys Val Xaa Gln Asp Trp Gly Ala His Arg Cys Thr
1 5 10

<210> 12

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Ile is acetylated

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa is dihydrotryptophan

<400> 12

Ile Cys Val Xaa Gln Asp Trp Gly Ala His Arg Cys Thr
1 5 10

<210> 13

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Ile is acetylated

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa is benzoylphenylalanine

<400> 13

Ile Cys Val Xaa Gln Asp Trp Gly Ala His Arg Cys Thr
1 5 10

<210> 14

<211> 16

<212> PRT

<213> Artificial Sequence

<220>

UPN4282.ST25.txt

<223> Synthetic Construct

<400> 14

Gly Ile Cys Val Trp Gln Asp Trp Gly Ala His Arg Cys Thr Ala Asn
1 5 10 15

<210> 15

<211> 13

<212> PRT

<213> Artificial Sequence

<220>

<223> Synthetic Construct

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa is Ile, Val, Leu, acetylated Ile, acetylated Val, acetylated
Leu, or dipeptide Gly-Ile

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa is Trp or a peptidic or non-peptidic Trp analog

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa is His, Ala, Phe or Trp

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> Xaa is L-Thr, D-Thr, Ile, Val, Gly or a tripeptide comprising
Thr-Ala-Asn, and the terminal COOH of the terminal residue
optionally is replaced by CONH2

<400> 15

Xaa Cys Val Xaa Gln Asp Trp Gly Xaa His Arg Cys Xaa
1 5 10